2	L Number	Hits	Search Text	DB	Time stamp
30687 709/\$.ccls. and ads <pre>2004/01/06 10:27 18M TDB 19</pre>					
DERMENT; INP TOB USPAT;		_	Table 1	US-PGPUB;	
IBM TDB USPAT; US-PGPUB; EPG, JBO; DERMENT;				EPO; JPO;	
				DERWENT;	
US-PGPUB; EPG; JPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERMENT; EPO; JPO; D	4			_	
Property	-	30687	709/\$.ccls.	'	2004/01/06 10:27
- 10687 709/\$.ccls. and ade<20010717				l '	
1					
30687 709/\$.ccls. and ade<20010717 USPĀT; US-PGUB; EPG, JPG, DERNENT; IBM TDB USPĀT; US-PGUB; EPG, JPG, JPG, JPG, JPG, JPG, JPG, JPG, J	***				
US-PGPUB; FBO, JFO; DERMENT; IBM TDB USPAT; US-PGPUB; EBO, JFO; DERMENT; IBM TDB USPAT; US-PGPUB; EBO, JFO; DERMENT; IBM TDB USPAT; U					0004/01/06 10 00
22358 709/S.ccls. and @ad<20010717 SEPC, JPG; DERRENT; IBM TDB USPAT; US-PGPUB; EPG, JPG; DERRENT; IBM, T	- 6	30687	709/\$.ccis. and adm<20010/17		2004/01/06 10:28
- 23358 709/\$.ccls. and @ad<20010717 DERMENT; IBM TDB USPAT; US-GPUB; EPO; JPO; DERMENT; IBM TDB USPAT;					
-					
-					
-	_ 8	22358	709/\$ ccls and @ad<20010717		2004/01/06 10:29
-	3	22330	7057 Q. CC15. and Gaac20010717	1	2001, 01, 00 10:25
-	<i>A</i> ,				
3	1.7			1 '	
1					
	-	3	(709/\$.ccls. and @ad<20010717) and (layer\$4	USPAT;	2004/01/06 10:41
Composition					
TEM TDB					
- 6856 (709/\$.ccls. and @ad<20010717) and (layer\$4) USPGPT; USPGUB; EPO, JPO, DERKENT; IBM_TDB USPAT; USPGUB; EPO, JPO; DERKENT; IBM_TDB USPAT; USPAT				DERWENT;	
Comparison of the comparison					
Composition	-	6856	(709/\$.ccls. and @ad<20010717) and (layer\$4)	USPAT;	2004/01/06 10:41
- 1 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application)near5 layer\$4) - 500 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4) - 72 (((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4) and ((rout\$4) and (load near4 balanc\$5) and (encryp\$4) - 6703 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart and application) and layer\$4) and ((rout\$4) and (sper\$4)) and (layer\$4)) and (layer\$4)) and (layer\$4)) and (layer\$4) and (layer\$4) and (sphysical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and (layer\$4)) and (layer\$4)) and (layer\$4) and (layer\$4) - 6833 ((709/\$.ccls. and @ad<2010717) and (layer\$4)) and (layer\$4) and (layer\$4) - 6834 ((709/\$.ccls. and @ad<2010717) and (layer\$4)) and (layer\$4) and (layer\$4) - 6835 ((709/\$.ccls. and @ad<2010717) and (layer\$4)) and (layer\$4) and (layer\$4) - 6836 ((709/\$.ccls. and @ad<2010717) and (layer\$4)) and (layer\$4) and (layer\$4) and (sphysical smart application abstract\$4 interfac\$4 protocol)near? - 72 (1(709/\$.ccls. and @ad<2010717) and (layer\$4)) and (layer\$4)) and (layer\$4) - 73 (1709/\$.ccls. and @ad<2010717) and (layer\$4) - 74 (1709/\$.ccls. and @ad<2010717) and (layer\$4) - 75 (1709/\$.ccls. and @ad<2010717) and (layer\$4) - 76 (1709/\$.ccls. and @ad<2010717) and (layer\$4) - 77 (1709/\$.ccls. and @ad<2010717) and (layer\$4) - 78 (1709/\$.ccls. and @ad<2010717) and (layer\$4) - 79 (1709/\$.ccls. and @ad<2010717) and (layer\$4) - 1 (1709/\$.ccls. and @ad<2010					
IBM_TDB					
1 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application)near5 layer\$4) Condition Condi					
(layer\$4)) and ((physical and smart and application)near5 layer\$4) - 500 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application)and layer\$4) - 72 (((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application)and layer\$4) and ((physical and smart and application)and layer\$4) and ((physical and smart and application)and layer\$4) and ((physical smart and (layer\$4)) and ((physical smart application) and layer\$4) and ((physical smart application) abstract\$4 interfac\$4 protocol)and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 100 "L115" and ((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 100 "L115" and ((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 100 "L115" and (frout\$4) and (load near4 balanc\$5) and (encryp\$4))			//200/4		2004/03/06 30 47
application)near5 layer\$4) - 500 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application)and layer\$4) - 72 (((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application)and layer\$4) and ((physical and smart and application)and layer\$4) and ((load near4 balanc\$5) and (encryp\$4)) - 6703 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application) and layer\$4) - 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 layer\$4) - 1826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 layer\$4) - 1827 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 1826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 1827 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 1827 ((709/\$.ccls. and @ad<20010717) and (layer\$4) and (load near4 balanc\$5) and (encryp\$4))	-	1			2004/01/06 10:4/
- 500 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4) ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4) and ((physical and smart and application) and layer\$4) and ((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO					
TBM TDB USPAT;			application/hears rayers4/		
- (709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4) - 72 (((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4)) and ((physical and smart and application) and layer\$4)) and ((physical smart and (layer\$4)) and ((physical smart application) and layer\$4) - 6703 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 2826 ("709/\$.ccls. and @ad<20010717) and (layer\$4)) and (layer\$4)) and (load near4 balanc\$5) and (encryp\$4)) - 0 "Lil5" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 DEWENT; IBM_TDB 2004/01/06 12:45 USPAT; USPA				1	
(layer\$4)) and ((physical and smart and application) and layer\$4)	_	500	((709/\$.ccls. and @ad<20010717) and		2004/01/06 12:44
application) and layer\$4) - ((((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4)) and ((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - (703 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application) and layer\$4) - ((709/\$.ccls. and @ad<20010717) and (layer\$4)) - (833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) - (139er\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - ((709/\$.ccls. and @ad<20010717) and (layer\$4)) - ((70			(laver\$4)) and ((physical and smart and	1	2001, 01, 00 11.11
- 72 (((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4)) and ((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 6703 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application) and layer\$4) - 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) adj layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 DERWENT; IBM TDB USPĀT; US-PCPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-				1	
- (((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical and smart and application) and layer\$4)) and ((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - (709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application) and layer\$4) - (833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - (709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - (709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) - (709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) - (709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) - (709/\$.ccls. and @ad<20010717) and (layer\$4)) and (load near4 balanc\$5) and (encryp\$4)) - (709/\$.ccls. and @ad<20010717) and (layer\$4) - (709/\$.ccls. and @ad<20010717) - (709/				DERWENT;	
(layer\$4)) and ((physical and smart and application) and layer\$4)) and ((rout\$4) and (rout\$4) and (rout\$4)] (10ad near4 balanc\$5) and (encryp\$4)) (1709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) 2826 (1709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) 2826 (1709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) 2826 (1709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) 2826 (1709/\$.ccls. and @ad<20010717) and (layer\$4)) and (layer\$4)) and (layer\$4) and (layer\$4) and (layer\$4) and (layer\$4) and (load near4 balanc\$5) and (encryp\$4)) 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) 1837 1847 1857 2004/01/06 12:45 2004/01/06 12:45 2004/01/06 12:45 2004/01/06 12:46 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
application) and layer\$4) and ((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 6703 ((709/\$.ccls. and @ad<20010717) and (layer\$4))	-	72			2004/01/06 12:46
Cload near4 balanc\$5) and (encryp\$4) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U			(layer\$4)) and ((physical and smart and		
- 6703 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application) and layer\$4) - 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 (layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 (layer\$4) - 2826 ("709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) adj layer\$4) - USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
- 6703 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application) and layer\$4) - 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2			(load near4 balanc\$5) and (encryp\$4))		
(layer\$4)) and ((physical smart application) and layer\$4) - 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO	1_	6702	//709/\$ ccls and @ad<20010717\ and		2004/01/06 12:45
application) and layer\$4) - 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 (layer\$4) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 (layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4))		0,03			2004/01/00 12:45
G833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)and layer\$4) 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 layer\$4) 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) (18				i '	
- 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 (layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) - (1709/\$.ccls. and @ad<20010717) and (layer\$4) - (1709/\$.ccls. and @ad<20010717) - (1709/\$.ccls. and @					
- 6833 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) - 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 (layer\$4)) and ((physical smart application (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) adj layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀ					
(layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) and layer\$4) 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) near2 (layer\$4) and ((physical smart application layer\$4) 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol) adj layer\$4) 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	6833	((709/\$.ccls. and @ad<20010717) and		2004/01/06 12:45
abstract\$4 interfac\$4 protocol)and layer\$4) 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 (layer\$4) 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 "Enception of the protocol of	[•	* .
- 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 Layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) - 0 "L15" and (encryp\$4))				EPO; JPO;	
- 4006 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;			-		
(layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)near2 layer\$4) 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) "L115" and((rout\$4)) and (load near4 balanc\$5) and (encryp\$4)) "EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
abstract\$4 interfac\$4 protocol)near2 layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; US	-	4006			2004/01/06 12:45
layer\$4) - 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; EPO; DERWENT; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO;					
- 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) Description of the control of					
- 2826 ((709/\$.ccls. and @ad<20010717) and (layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			layer\$4)	-	
(layer\$4)) and ((physical smart application abstract\$4 interfac\$4 protocol)adj layer\$4) "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) "L115" and((rout\$4) and (load near4 USPAT; US-PGPUB; EPO; JPO; DERWENT;	_	2026	//709/\$ cale and end-20010717\ and	_	2004/01/06 12 45
abstract\$4 interfac\$4 protocol)adj layer\$4) - 0 "L115" and((rout\$4) and (load near4 balanc\$5) and (encryp\$4)) EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	[2020		·	2004/01/06 12:46
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 0 "L115" and((rout\$4) and (load near4 USPAT; US-PGPUB; EPO; JPO; DERWENT;			abbutably intellices protocolyacj layersy		
- 0 "L115" and((rout\$4) and (load near4 USPAT; 2004/01/06 12:46 balanc\$5) and (encryp\$4)) US-PGPUB; EPO; JPO; DERWENT;					
balanc\$5) and (encryp\$4)) US-PGPUB; EPO; JPO; DERWENT;	-	0	"L115" and((rout\$4) and (load near4		2004/01/06 12:46
EPO; JPO; DERWENT;					, =, : = = : : •
DERWENT;				· ·	
IBM TDB					
				IBM_TDB	

-	148	(((709/\$.ccls. and @ad<20010717) and	USPAT;	2004/01/06 14:05
		(layer\$4)) and ((physical smart application	US-PGPUB;	
		abstract\$4 interfac\$4 protocol)adj layer\$4)	EPO; JPO;	
) and((rout\$4) and (load near4 balanc\$5) and	DERWENT;	
		(encryp\$4))	IBM_TDB	
-	4803	Virtual adj private adj network	USPAT;	2004/01/06 14:06
	Δ		US-PGPUB;	
7			EPO; JPO;	
			DERWENT;	1
	3066	(Virtual adj private adj network) and VPN	IBM_TDB USPAT;	2004/01/06 14:06
	3000	(Viitual ad) pilvate adj network/ and VPN	US-PGPUB;	2004/01/00 14:06
			EPO; JPO;	
			DERWENT;	
i ii			IBM_TDB	
- 1	6017	(Virtual adj private adj network) or VPN	USPAT;	2004/01/06 14:06
			US-PGPUB;	, , ,
4			EPO; JPO;	
l de			DERWENT;	
			IBM_TDB	
-	3375	((== = = = , F= = : = = ; = = : = ; = = : = ; = : = ; = : = ; = : = ; = : = ; = : = ; = : = :	USPAT;	2004/01/06 14:09
4		and @ad<20010717	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	89		USPAT;	2004/01/06 15:02
		and @ad<20010717) and (((MAC) or (Media adj Access adj Control)) near2 layer)	US-PGPUB;	
]		Access adj control) nearz layer)	EPO; JPO; DERWENT;	
ĺ			IBM TDB	
]_	20820336	(Generic adj protocol adj stack\$4)	USPAT;	2004/01/06 15:03
		@ad<20010717	US-PGPUB;	2004/01/00 13:03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4		USPAT;	2004/01/06 15:07
		@ad<20010717	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	Companie and management and assessings	IBM_TDB	
-	·	Generic adj protocol adj stack\$4	USPAT;	2004/01/06 15:06
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5588	protocol adj stack\$4	USPAT;	2004/01/06 15:06
		<u> </u>	US-PGPUB;	111, 12, 10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3784	(protocol adj stack\$4) and @ad<20010717	USPAT;	2004/01/06 15:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	8684	protocol adj (layer\$4 stack\$4)	<pre>IBM_TDB USPAT;</pre>	2004/01/07 11:21
			US-PGPUB;	2004/01/0/ 11:21
] .		EPO; JPO;	
	İ		DERWENT;	
			IBM TDB	
-	5951	(protocol adj (layer\$4 stack\$4)) and	USPAT;	2004/01/07 13:43
		@ad<20010717	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1742	((protocol adj (layer\$4 stack\$4)) and	USPAT;	2004/01/07 11:22
		@ad<20010717) and 709/\$.ccls.	US-PGPUB;	
		İ	EPO; JPO;	
			DERWENT;	
<u> </u>			IBM_TDB	

1			•	
-	355	(((protocol adj (layer\$4 stack\$4)) and @ad<20010717) and 709/\$.ccls.) and (encryption\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 11:23
-	307	((((protocol adj (layer\$4 stack\$4)) and @ad<20010717) and 709/\$.ccls.) and (encryption\$4)) and (routi\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 11:24
- ;	11	((protocol adj (layer\$4 stack\$4)) and @ad<20010717) and ((intelligent smart) adj (interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 15:47